


PRIMAL[®]

**Primal Strength Performance Series
Olympic Decline Bench**

PSWB0156



USER S'MANUAL

Before use, please read through the guide book and keep well.



CAUTION:

Read all precautions and instructions in this manual
before using this equipment.

TABLE OF CONTENTS

Important Safety Instructions -----	2
Instructions -----	3
Parts List -----	4
Exploded View -----	5
Measurement Guide -----	8
Assembly Instructions -----	9
Assembly -----	10
Maintenance Schedule -----	15
General Maintenance Information -----	16
Weight Training Tips -----	18

Important Safety Instructions

- Before beginning any fitness program, you should obtain a complete physical examination from your physician. When using exercise equipment, basic precautions should always be taken, including the following:
- Read all instructions before using the equipment. These instructions are written to ensure your safety and to protect the unit.
 - Do not allow children on or near the equipment.
 - Use the equipment only for its intended purpose as described in this guide. Do not use accessory attachments that are not recommended by the manufacturer: such attachments might cause injuries.
 - Wear proper exercise clothing and shoes for your workout---no loose clothing.
 - Be careful when getting on or off the equipment.
 - Do not overexert yourself or work to exhaustion.
 - If you feel any pain or abnormal symptoms, stop your workout immediately and consult your physician.
 - Never operate the unit when it has been dropped or damaged.
 - Never drop or insert anything into any opening in the equipment.
 - Always check the unit and its cables before each use. Make sure that all fasteners and cables are secure and in good working condition.
 - Frayed or worn cables can be dangerous and may cause injury. Periodically check these cables for any indication of wear.
 - Keep hands, limbs, loose clothing and long hair well out of the way of moving parts.
 - Do not attempt to lift more weight than you can control safely.
 - Do not use the equipment outdoors.

Personal Safety During Assembly


- Read each step in the assembly instructions and follow the steps in sequence. Do not skip ahead. If you skip ahead, you may learn later that you have to disassemble components and that you may have damaged the equipment.
- Assemble and operate the equipment on a solid, level surface. Locate the unit a few feet from walls or furniture to provide easy access. The equipment is designed for your enjoyment. By following these precautions and using common sense, you will have many safe and pleasurable hours of healthful exercise with the equipment.

Instructions


Before beginning assembly please take the time to read instructions thoroughly. Please use the various lists in this manual to make sure that all parts have been included in your carton. When ordering, use part number and description from the lists. Use only our replacement part when servicing. Failure to do so will void your warranty and could result in personal injury.

The equipment is designed to provide the smoothest, most effective exercise motion possible. After assembly, you should check all functions to ensure correct operation. If you experience problems, first recheck the assembly instructions to locate any possible errors made during assembly. If you are unable to correct the problem, call your authorized dealer. Be sure to have your serial number and this manual when calling. When all parts have been accounted for, continue on.


Tools Required




Punch Wrench



Wrench



Rubber Mallet




Hex Key Wrench Set

Parts List

Note: some of these parts may come pre-installed.

Item	Name	Quantity
1	Left Weight Frame	1
2	Right Weight Frame	1
3	Back Pad Connector Frame	1
4	Rotation Frame	1
5	Connector Frame	1
6	Foam Frame Welding	2
7	Rotating Shaft $\varnothing$ 25x160	1
8	Decorative Cap $\varnothing$ 50	2
9	Long Back Pad	1
10	Head Pad	1
11	Leg Foam	4
12	Foam Inner Cap	4
13	Foam Outer Cap	4
14	Flat Head Cap Screw M8X25	6
15	Button Head Cap Bolt M10X30	6
16	Button Head Cap Bolt M10X75	1
17	Hex Head Bolt M12X35	12
18	Flat Washer Φ 11X Φ 20X2	7
19	Flat Washer Φ 13 $\times$ Φ 24 $\times$ 2	12

Exploded View




Parts List

Note: some of these parts may come pre-installed.

ITEM#	PART NAME	SPEC	QTY
1	Left side frame assembly		1
2	Right side frame assembly		1
3	Backrest connecting frame assembly		1
4	Rotating frame assembly		1
5	Connecting frame assembly		1
6	Foam frame assembly welding		2
7	φ25x160 Shaft	Φ25×159	1
8	Decorative end cap φ50	Φ9×Φ50×6.3	2
9	Long back pad	996x324x64	1
10	Head cushion	205×188×55	1
11	Leg press foam	Φ130XΦ23.5X210	4
12	Foam inner end cap	Φ80XΦ26X12	4
13	Foam outer end cap	Φ80XΦ9X12	4
20	barbell holder assembly		4
22	Rubber Sleeve A	Φ48×Φ78×30	4
14	Hexagon socket countersunk head screws	M8X25	6
15	Hexagon socket umbrella head bolts	M10X30	6
16	Hexagon socket umbrella head bolts	M10X75	1
17	Hexagon bolts	M12X35	12
18	Flat washers	Φ11XΦ20X2	7
19	Flat washers	Φ13×Φ24×2	12
21	Flat washers	Φ13×Φ37×3	4
23	Hexagon socket flat round head bolts	M12X30	4


Measurement Guide




Cross Recessed Pan Head Tapping Screw




Hex Socket Set Screw with Flat Point




Flat Head Cap Screw



Button Head Cap Screw



Socket Head Cap Bolt



Hex Bolt



Assembly Instructions

Assembly of the equipment takes professional installers about 2 hours. If this is the first time you have assembled this type of equipment, plan to spend more time. It is strongly recommended to assemble the equipment by professional installers. You may find it quicker, safer, and easier to assemble this equipment with the help of a friend, as some of components may be large, heavy or awkward to handle alone. It is important that you assemble your product in a clean, clear, uncluttered area. This will enable you to move around the product while you are fitting components and reduce the possibility of injury during assembly.

Note: As with any assembled part, proper alignment and adjustment is critical. While tightening the fasteners, be sure to leave room for adjustments. Do not fully tighten the fasteners until instructed to do so. Be careful to assemble the components in the sequence presented in this guide.

Assembly


Step 1

Attach Left Weight Frame(#1), Right Weight Frame(#2), Connector Frame(#5) together, using:

8×Hex Head Bolt M12X35 (#17)

8×Flat WasherΦ13×Φ24×2 (#19)

Fasten Bolts According to the Assembly Requirements




Step 2

Attach Connector Frame(#5) to Back Pad Connector Frame(#3), using:

4×Hex Head Bolt M12X35 (#17)

4×Flat WasherΦ13×Φ24×2 (#19)

Fasten Bolts According to the Assembly Requirements



Step 3


Attach Rotation Frame(#4) to Back Pad Connector Frame(#3), using:

1×Rotating Shaft φ25x160(#7)

2×Decorative Cap φ50(#8)

2×Flat Head Cap Screw M8X25 (#14)

Fasten Bolts According to the Assembly Requirements



Step 4


1. Attach Long Back Pad(#9), Head Pad(#10) to Back Pad Connector Frame(#3), using:

6×Button Head Cap Bolt M8×30(#15) 1×Button Head Cap Bolt M10×75(#16)
7×Flat Washer Φ11XΦ20X2 (#18)

2. Attach 2×Foam Frame Welding(#6) to Rotation Frame(#4), attach 4×Leg Foam(#11) to Foam Frame Welding(#6), using

4×Foam Inner Cap(#12) 4×Foam Outer Cap(#13)
4×Flat Head Cap Screw M8X25(#14)

Fasten Bolts According to the Assembly Requirements




Step 5

1. Attach 4* Barbell holder assembly(#20) to the Left Weight Frame(#1) and the Right Weight Frame(#2), using:

4×Hexagon socket flat round head bolts M12×30 (#21)
4×Flat Washer Φ13×Φ37×3Φ11XΦ20X2 (#23)

2. Install 4*Rubber Sleeve A (#22) to 4* Barbell holder assembly(#20).

Fasten Bolts According to the Assembly Requirements



Maintenance Schedule

ROUTINE	COMMERCIAL MAINTENANCE	HOME MAINTENANCE	LATEST DATE ENTRY						
Inspect: Links, Pull Pins, Snap Locks, Swivels, Weight Stack Pins	DAILY	WEEKLY							
Clean: Upholstery	DAILY	WEEKLY							
Inspect: Cables or Belts and their tension	DAILY	WEEKLY							
Inspect: Accessory Bars, and Handles	WEEKLY	3 MONTHS							
Inspect: All Decals	WEEKLY	3 MONTHS							
Inspect: All Nuts and Bolts, Tighten if needed	WEEKLY	3 MONTHS							
Inspect:Anti-skid Surface	WEEKLY	3 MONTHS							
Clean&Lubricate: Guide rods with a Teflon(PTFE) based lubricant(Superlube)	MONTHS	3 MONTHS							
Lubricate: Seat Sleeves, Turcite Bushings, Linear Bearing	MONTHS	3 MONTHS							
Clean and Wax: All Glossy Finishes	6 MONTHS	YEARLY							
Repack with Grease: Linear Bearings	6 MONTHS	YEARLY							
Replace: Cables, Belts and Connecting Parts	YEARLY	3 YEARS							

General Maintenance Information

Links, Pull-Pins, Snap Hooks, Swivels, Weight Stack Pins:

- Check all pieces for signs of visible wear or damage.
- Check springs in snap hooks and pull-pins for proper tension and alignment.
- If the spring sticks or has lost its rigidity, replace it immediately.

Upholstery:

- To ensure prolonged upholstery life and proper hygiene, all upholstered pads should be wiped down with a damp cloth after every workout.
- Periodically take the time to use a mild soap or approved vinyl upholstery cleaner to deter the onset of cracking or drying.
- Avoid using any abrasive cleaners or cleaners not intended for use on vinyl.
- Replace ripped or worn upholstery immediately.
- Keep sharp or pointed objects clear of all upholstery.

Decals:

- Inspect and familiarize yourself with any safety warnings or other user information posted on each decal.

Nuts and Bolts:

- Inspect all nuts and bolts for any loosening and tighten if needed.
- Go through a re-tightening sequence periodically to ensure that all hardware is tensioned proper.

Anti-Skid Surfaces:

- These surfaces are designed to supply secure footing and need to be replaced if they appear worn or become slippery.

Belts and Cables:

- We use only high quality belt, and mil-spec cables.
- Visually inspect the belts and cables for fraying, cracking, peeling or discoloration.
- While the machine is not in use, carefully run your fingers along the belt or cable to feel for thinning or bulging areas.
- Replace belts and cables immediately at the first signs of damage or wear. Do not use equipment until belts or cables have been replaced.

Weight Training Tips

Belt and Cable Tensions:

- Referring to the Owner's Manual, when belts or cables are used check all bolts attachment to be sure they are properly attached.
- Check slack in cables and re-adjust cable tension if needed.

Seat Sleeves, Guide Rods:

- Wipe down adjusting tubes with a dust free rag before applying lubricant.
- Lubricate seat sleeves and Guide Rods with silicon or Teflon based lubricant spray.

Linear Bearings:

- Referring to the owner's manual carefully disassembly the bearing from its housing and place a finger full of light grease (lithium, super lube, etc) into the inside of the bearing. Use your finger, press the grease into the ball-bearings and their tracks. Repeat until the ball-bearing tracks are full of grease. Insert the shaft back into the bearing and wipe off excess grease.

Use this manual to guide you through the basic exercises you can perform on your equipment. To gain maximum results and avoid possible injury, consult a fitness professional to develop your complete exercise program.

Always consult your physician before starting any exercise program.

To be successful in your exercise program, it is important to develop an understanding of the basic principles of strength training. Now that you have your equipment, it is only natural that you want to get started immediately. First, determine a set of realistic goals and objectives for yourself. By deciding on an exercise plan that is right for you prior to starting, you will contribute significantly to your success.

Warm up properly before engaging in weight resistance training. Stretching, yoga, jogging, calisthenics or other cardiovascular exercise can help prepare your body for the heavier workload of lifting weights.

Learn how to perform the exercise correctly before using heavy weight. Correct form is important to avoid injury and to ensure that you work the proper muscle groups.

Know your limitations. If you are new to weight training or are embarking on an exercise regimen after a long layoff, start slowly and build foundational strength over a longer period of time.

Pay attention to your breathing. Exhale when you exert is a general rule of thumb. Never hold your breath.