

Short Name	Report Type	Description	Current Name
AIDS Date Estimated	NULL	NULL	AIDS diagnosis date estimated
All Disbursements Have Pickups	NULL	NULL	NULL
Comment	NULL	NULL	NULL
Has Drug Disbursements In Period	NULL	NULL	NULL
HIV Date Estimated	NULL	NULL	NULL
Test Provider	NULL	NULL	NULL
Age At Date	Case Notes	NULL	NULL
ART first prescribed date	Case Notes	NULL	NULL
Case Note Date	Case Notes	NULL	NULL
Case Notes	Case Notes	NULL	NULL
Case Notes Author First Name	Case Notes	NULL	NULL
Case Notes Author Last Name	Case Notes	NULL	NULL
First ARV Regimen	Case Notes	The first recorded ARV regimen for the client	NULL
Has Quantitative Lab Value Maintaining Threshold	Case Notes	NULL	NULL
C&T Provider	Counseling and Testing	NULL	NULL
Comment	Counseling and Testing	NULL	C&T Comment
HIV Result	Counseling and Testing	Returns negative, positive,unknown	NULL
HIV Tested	Counseling and Testing	Returns yes, no, unknown	NULL
Notified	Counseling and Testing	NULL	Notified of HIV test result

PN Offered	Counseling and Testing	NULL	Partner notification offered
Post Cnsl	Counseling and Testing	Values: yes, no, unknown, n/a	Post-test counseled
Pre Cnsl	Counseling and Testing	Values: yes, no, unknown, n/a	Pre-test counsel
PreC Dt	Counseling and Testing	Values: yes, no, unknown, n/a	Pre test counsel date
PstC Dt	Counseling and Testing	NULL	Post-test counsel date
Reason No Cnsl	Counseling and Testing	Free text to describe why client was not counseled about HIV testing	Reason not counseled
Test Dt	Counseling and Testing	NULL	HIV test date
Custom Subform Date (Cst. Subform)	Custom Subform	NULL	Custom subform date
Custom Subform Provider	Custom Subform	NULL	NULL
SubForm Tab	Custom Subform	NULL	Name given to custom subform tab
1st Overall Service	Demographics	NULL	Date of first service
1st Service	Demographics	NULL	First ever service date
1st start date of TB prophylaxis	Demographics	NULL	TB prophylaxis start date
1st start date of TB treatment	Demographics	NULL	TB treatment start date
1st vaccination date	Demographics	NULL	Date of first vaccination
A. Ind.	Demographics	Values: yes, no, unknown	American Indian or Alaska Native

ADAP 1st Service	Demographics	NULL	Date of first ADAP service
ADAP Date Closed	Demographics	This is the date the client left or was found ineligible for ADAP	NULL
ADAP Enrl Date	Demographics	NULL	Date of ADAP enrollment
ADAP Enrl Status	Demographics	Values:	ADAP enrollment status
ADAP Last Service	Demographics	NULL	Date of last ADAP service
Address	Demographics	Client's address	NULL
Adh. Prob. Addressed?	Demographics	NULL	NULL
Adh. Prob. Identified?	Demographics	NULL	NULL
Adh. Quan. Assessed?	Demographics	NULL	NULL
Adherence Rate	Demographics	NULL	NULL
Age	Demographics	Client's age as of the end date of the report. If no dates are specified in the report, then it is as of today.. HIVQM Export Compatible	NULL
Age at Begin Date	Demographics	NULL	NULL
Age at Enrollment	Demographics	Client's age at enrollment	NULL
AgeGroup	Demographics	Values: <13, 13-24, 25-44, 45-64, 65+	NULL
Agency Funding	Demographics	Source of funding for international services (e.g. PEPFAR, UNAIDS, Other, etc.)	Funding source international version
AIDS Date	Demographics	NULL	Date of AIDS diagnosis
AIDS Year	Demographics	NULL	Year of AIDS diagnosis
Allergies	Demographics	Text field to note any allergies to medications, etc.	NULL
Ann.Rev.Year	Demographics	NULL	Annual Review Year

Annual Mental Health Screening	Demographics	This field is captured on the Annual Review tab. Can also be entered in Screenings in the Clinical Encounter module.	NULL
Annual Substance Abuse Screening	Demographics	This field is captured on the Annual Review tab. Can also be entered in Screenings in the Clinical Encounter module.	NULL
Anxiety Screen?	Demographics	NULL	NULL
Appetite Assessment?	Demographics	NULL	NULL
ART date stopped	Demographics	NULL	Date last antiretroviral stopped
ART date stopped by date	Demographics	International version	NULL
ART taken for Preg By Date	Demographics	In subfilter, set Key Date to days before end date of report or actual dates to evaluate if mother was taking ART in pregnancy.	ART taken in pregnancy by date
ART taken for Preg In Span	Demographics	Returns Yes or No	ART medications during pregnancy
ART taken for Preg-CADR	Demographics	From pregnancy tab. Captures if mother received antiretrovirals to prevent HIV transmission to child.	ART taken during pregnancy (RDR)
ART USG funded	Demographics	Returns: Yes or No	Is ART funded by US Govt: International version
ARV Count	Demographics	Returns: 0,1, 2, 3, 4+	Number of ARV active ingredients
ARV count on date	Demographics	NULL	Number of ARV active ingredients on a specific date

ARV count(number)	Demographics	Returns raw number (not grouped)	Number ARV active ingredients
ARV Eligibility Reason	Demographics	Returns WHO responses	International version
Asian	Demographics	Returns: Yes or No	Is client race Asian?
Begin Date	Demographics	returns 1753!	NULL
Birth Year	Demographics	NULL	NULL
Black	Demographics	Retruns Yes or No	Black or Afr American
BMI Percent Change	Demographics	Calculates the percent change between 2 BMI measures, depending on the period selected in the subfilter.	Percent Change in body mass index
Case Note Author	Demographics	NULL	NULL
CD4 Count from first ART in Span	Demographics	For WHO quarterly report	NULL
Change of Screening Score For Period	Demographics	Calculates the difference between two customized scores: Latest score in period minus last score in period prior to date range.	Change in Screening Score for period
City	Demographics	Client's city of residence	NULL
Client ARVS	Demographics	Returns list of ARV medications that client is currently taking	Current Antiretrovirals
Client ID	Demographics	ID field entered on demographic screen. Sometimes reserved for the chart number, or the client's social security number.	NULL
Client is Pregnant	Demographics	Returns: Yes or No if client is pregnant ever????	NULL
Client is Pregnant at Enrl	Demographics	Returns: Yes or No	Client pregnant at enrollment
Client Meds By Ind.	Demographics	Returns full medication name for selected indication	Medications by indication

Client NON ARVS	Demographics	Returns list of non-ARVs	Non antiretroviral medications
Client On ART	Demographics	Returns Yes or No	NULL
Client On ART After Span	Demographics	NULL	Have no idea????
Client On ART During Span	Demographics	For WHO quarterly report	NULL
Client's Bar Code	Demographics	NULL	NULL
Clinical Shared By Client	Demographics	Returns: Yes or No	Clinical data shared by client
Cog. Func. Assessed?	Demographics	NULL	NULL
Completed Hep A Series	Demographics	Returns: Yes or No	Completed Hep A vaccine series
Completed Vaccine Series For Hepatitis B CLD	Demographics	Returns: Yes or No	Completed Hep B vaccine series
Counseled about HIV risks	Demographics	From Annual Review tab. Returns a value of yes, no, or unknown.	NULL
Counseled about HIV risks by	Demographics	From the Annual Review tab. Returns a value of Clinician, casemgr/social worker, other trained counselor.	NULL
County	Demographics	NULL	County of residence
Current Regimen	Demographics	Returns a list of ARV medications in a current regimen or the name of a regimen if it exists.	NULL
Current Regimen Line	Demographics	Returns 1, 2, or unspecified, denoting first or second line ARV therapy. Used primarily in international treatment settings.	NULL
Current Regimen Months	Demographics	Returns number of months on current ARV regimen.	NULL

Current Regimen Start Date	Demographics	NULL	NULL
Custom SubForm Records Count By Tab	Demographics	Returns number of subform entries	NULL
Date Closed	Demographics	From services screen	Date client closed out services
Date First HIVQUAL Referral Made	Demographics	NULL	NULL
Date First HIVQUAL Referral Received	Demographics	NULL	NULL
Date First HIVQUAL Referral Received after PAP smear abnormal result	Demographics	NULL	NULL
Date First Referral Made	Demographics	Returns date of first referral (internal or external) within specified date range. Internal referrals are those that are made within the network of providers connected in realtime over a wide area network to the CAREWare central database server.	NULL
Date First Referral Received	Demographics	NULL	NULL
Date Last Referral Made	Demographics	NULL	NULL
Date Last Referral Received	Demographics	NULL	NULL
Date of Death	Demographics	NULL	NULL
Date of First HIVQUAL service	Demographics	NULL	NULL
Date of First Srv Cat In Span	Demographics	NULL	Date of first service category in date span
Date of First Subservice	Demographics	Returns the date of the first specified subservice within the date span of interest.	NULL
Date of Last ARV Med Change	Demographics	NULL	NULL
Date of Last ARV Med Stop	Demographics	NULL	NULL
Date of Last HIVQUAL service	Demographics	NULL	NULL
Date of Last Subservice	Demographics	Returns the date of the last specified subservice in the date range of interest.	NULL

Date of latest Diagnosis	Demographics	Returns date of last diagnosis for a specified condition	NULL
Date of latest Diagnosis ICD9	Demographics	Selects specific diagnosis based on the ICD9 code.	Date of latest diagnosis by ICD9 code
Date of latest Diagnosis in a range	Demographics	Select from a range of ICD9 codes	NULL
Date of the next PAP smear after abnormal result	Demographics	NULL	NULL
Date prenatal care began	Demographics	NULL	NULL
Date Rdy., Elig., Sel.	Demographics	Typically used in International version, tracks dates client is determined eligible, ready, and selected to start ARV therapy.	Date determined ready for antiretrovirals
Days between appts	Demographics	Days entered in scheduler	Days between appointments
Days Enrolled	Demographics	Total days enrolled in service based on initial enrollment date; returns blank if no enrollment date entered	NULL
Depress Screen?	Demographics	NULL	NULL
DOB	Demographics	NULL	Date of birth
DOB estimated?	Demographics	From demographic screen.	Is date of birth estimated?
Domains CIn Shared By	Demographics	On a multi-provider network setup, this returns other provider domains client's clinical data shared by	Provider domains clinical data shared by
Domains CIn Shared With	Demographics	On a multi-provider network setup, this field returns other provider domains client's clinical data are shared with	Provider domains clinical data shared with



Domains Srv Shared By	Demographics	On a multi-provider network setup, returns the providers that share client service data. Providers can only see service data on clients that are seen in both providers.	Provider domains service data shared by
Domains Srv Shared With	Demographics	Applies to network setups only	Provider domains service date shared with
Domestic Violence?	Demographics	NULL	NULL
EIS Exp Ref	Demographics	Data from annual review tab-Part C only	Referral for experimental services (Part C)
EIS Outside Ref	Demographics	Data from annual review tab-Part C only	Referral for outside services (Part C)
Encrypted UCI	Demographics	NULL	NULL
End Date	Demographics	NULL	End date of report
Enrl Date	Demographics	From services screen	Enrollment date
Enrl Status	Demographics	From services screen: Active, Inactive, etc.	Enrollment status
Enrl. Status	Demographics	Enrollment status prior to new response categories added for RSR	Enrollment status (old)
Enrl. Status By Date	Demographics	Used to determine client's enrollment status at a specific point in time	Enrollment status by date
Enrollment Status-ADAP	Demographics	NULL	NULL
Enrollment Status-CADR	Demographics	Enrollment status used for RDR	Enrollment status-RDR
Enrolment Status - CLD	Demographics	Enrolment status used for client level export	Enrollment status - RSR
ER Visits In Period	Demographics	Emergency room visits in period	NULL

eURN	Demographics	NULL	Encrypted URN
First ARV Med Date	Demographics	NULL	Date of first ARV medication ever
First ARV Med Date in Span	Demographics	Returns the date the first ARV medication was started in a date span. If ARV was started five years ago and is still active, and date span is set to only one year, field will return the original start date five years ago.	Date ARV med first started in date span
First Conception Date	Demographics	NULL	NULL
First Date for Srv Category	Demographics	NULL	First date specific service received
First Name	Demographics	NULL	NULL
First Qualitative Lab Date	Demographics	Returns the date of the first qualitative lab result for a specific test and date range.	NULL
First Qualitative Lab Value	Demographics	Returns the test value of a specific qualitative test in a date range.	NULL
First Quantitative Lab Date	Demographics	Returns the date of the first specified quantitative test in a date range	NULL
First Quantitative Lab Value	Demographics	Returns the date of the first specified quantitative test in a date range	NULL
First Screening Score In Period	Demographics	Custom score field from screenings	NULL
Formatted Field	Demographics	NULL	NULL
Functional Status At ART	Demographics	International version	NULL
Gender	Demographics	The client's gender. HIVQM Export Compatible	NULL
Had Vaccination	Demographics	Returns the value yes or no if client had specified vaccine in date range.	NULL
Has Any Drug Service	Demographics	From ADAP; Returns Yes or No	NULL
Has Any Service	Demographics	Returns yes or no if client had any service type in specified date range.	NULL

Has Care	Demographics	Returns Yes or No based depending on presence of any clinical encounter	Has clinical encounter
Has Drug Class Change	Demographics	Returns Yes or No if client has a change in class of ARVs, for example from NRTI to PI-based regimen.	NULL
Has Form	Demographics	Returns Yes or No if client has any form in specified date range.	NULL
Has HOPWA Service In Span	Demographics	Returns yes or no if client has any HOPWA service in specified date range.	NULL
Has Immunization In Period	Demographics	NULL	NULL
Has Med In Period	Demographics	Returns Yes or No	Has medication in period
Has Medication	Demographics	Returns yes or no if client has specified medication in days/months before the end date of the report.	NULL
Has Non HOPWA Only Service In Span	Demographics	NULL	NULL
Has OI Proph In Period	Demographics	Returns Yes or no if client has specified OI prophylaxis in period of interest.	Has OI prophylaxis in period
Has OI Prophylaxis	Demographics	NULL	NULL
Has OI Treatment	Demographics	NULL	NULL
Has PCP Proph if indicated	Demographics	Returns yes or no if CD4 count below 200 and any OI prophylaxis entered in medications where the indication is PCP.	NULL
Has Prim Health Svc	Demographics	Returns yes or no if and primary health care service received based on Part C definition	Has primary health care service
Has Qualitative Result 1st Date	Demographics	Returns the date of the first qualitative test selected within a date range.	First date of qualitative test
Has Qualitative Test Result	Demographics	Returns Yes or no	NULL
Has Qualitative Test Treatment	Demographics	Returns yes or no	NULL
Has Referral	Demographics	Returns yes or no	NULL

Has Referral Cat	Demographics	Returns yes or no if clients has specified referral service type in date span of interest.	Has referral of specific type
Has Referral Cat w/ Status	Demographics	To find clients with referrals of status pending or completed.	Has referral type with status
Has RW Funded Service	Demographics	Returns yes or no	NULL
Has RW Funded Service In Span	Demographics	NULL	NULL
Has Service Field	Demographics	Returns Yes or No if specified custom service field value exists in date range selected.	Has custom service field
Has STI Test In Period	Demographics	NULL	NULL
Height At ART	Demographics	NULL	NULL
Height At ART (cm)	Demographics	NULL	NULL
Hemo	Demographics	Returns yes or no	Hemophilic HIV risk factor
Hetero	Demographics	Returns yes or no	Heterosexual HIV risk factor
HH Income	Demographics	From Annual Review tab	Household Income
HH Size	Demographics	From Annual Review screen.	Household Size
Highest Quantitative Lab Date	Demographics	NULL	NULL
Highest Quantitative Lab Value	Demographics	NULL	NULL
Highest Screening Score In Period	Demographics	NULL	NULL
HIP 1st Service	Demographics	NULL	NULL
HIP Date Closed	Demographics	NULL	NULL
HIP Enrl Date	Demographics	NULL	NULL
HIP Enrl Status	Demographics	NULL	NULL
HIP Last Service	Demographics	NULL	NULL
Hisp.	Demographics	Returns yes, no or unknown	Hispanic ethnicity
Hispanic	Demographics	NULL	NULL

HIV Date	Demographics	NULL	Date of HIV diagnosis
HIV Positive	Demographics	Returns yes or no	NULL
HIV Risk Factor	Demographics	The client's main Risk Factor. HIVQM Export Compatible	NULL
HIV Status	Demographics	Client's current HIV status	NULL
HIV Status By Date	Demographics	Client's HIV status at specified period before end date of report.	NULL
HIV Status of Newborn	Demographics	NULL	NULL
HIV Tested-CADR	Demographics	NULL	HIV tested (RDR)
HIVQUAL Export?	Demographics	NULL	NULL
HOPWA NonSTRMU Housing By Sbs	Demographics	NULL	NULL
HOPWA STRMU Housing By Sbs	Demographics	NULL	NULL
Hospital Admissions In Period	Demographics	NULL	NULL
Housing Arr	Demographics	From the Annual Review tab, returns the value stable, unstable, etc.	Housing status
Housing Arr - CLD	Demographics	From annual review screen.	Housing status (RSR)
HRSA RW-funded visits by Category (CADR)	Demographics	NULL	RW-funded visits by service category (RDR)
HRSA visits by Category (CADR)	Demographics	NULL	HRSA visits by Service Category (RDR)
HRSA visits by Category In Span	Demographics	NULL	Visits by service category in date span

HRSA Visits Totaled	Demographics	NULL	Total service visits
IDU	Demographics	Returns: Yes or no	NULL
IGRA Result	Demographics	NULL	NULL
Ins.Type	Demographics	From the Annual Review tab.	Primary health insurance type
Is Part D Client	Demographics	Returns yes or no	NULL
Lab Interval Count	Demographics	How many lab tests of specific type were found in time interval that were a certain number of day/months apart?	Lab interval count
Last Date PCP Preventive Med Started	Demographics	NULL	NULL
Last Name	Demographics	NULL	NULL
Last OI Prophylaxis Medication	Demographics	NULL	NULL
Last Preg Outcome In Span	Demographics	NULL	NULL
Last Qualitative Lab Date	Demographics	NULL	NULL
Last Qualitative Lab Value	Demographics	NULL	NULL
Last Quantitative Lab Date	Demographics	NULL	NULL
Last Quantitative Lab Value	Demographics	NULL	NULL
Last Screening Score In Period	Demographics	NULL	NULL
Last Service	Demographics	NULL	Date of last service
Last Service Field Val In Category	Demographics	NULL	NULL
Last Service Field Val In Contract	Demographics	NULL	NULL
Last Service Field Value	Demographics	NULL	NULL
Last Service In Category	Demographics	NULL	NULL
Last Service In Contract	Demographics	Returns name of service category	NULL
Last stop date of any TB prophylaxis medication	Demographics	NULL	NULL

Last stop date of any TB treatment medication	Demographics	NULL	NULL
Last vaccination date	Demographics	NULL	NULL
Latest estimated conception date	Demographics	NULL	NULL
Low Quantitative Lab Date	Demographics	NULL	NULL
Lowest Adherence Rate	Demographics	NULL	NULL
Lowest Quantitative Lab Value	Demographics	NULL	NULL
Lowest Screening Score In Period	Demographics	NULL	NULL
Mail	Demographics	Returns yes or no if client accepts mail	NULL
Marital Status	Demographics	International version	NULL
Max ARV Count In Span	Demographics	Returns maximum number of antiretoviral active ingredients in time period selected.	NULL
Medicaid Insurance	Demographics	Returns yes or no	NULL
Medicare Insurance	Demographics	Returns yes or no	NULL
Memo	Demographics	Contents of memo field on demographic screen	NULL
Middle Name	Demographics	NULL	NULL
MSM	Demographics	Returns yes or no	Male to Male sexual contact (MSM)
Name	Demographics	NULL	NULL
Need Men. Heal. Ref.?	Demographics	HIVQUAL>??	NULL
No Insurance	Demographics	Returns yes or no	NULL
Num appts by Subervice	Demographics	NULL	NULL
Num Days Active	Demographics	NULL	Number of days active
Num Preg Outcomes	Demographics	NULL	Number of pregnancy outcomes

Num with Newborn Status	Demographics	NULL	Number newborns with HIV status
Number of appts	Demographics	NULL	NULL
Number of missed appointments by subservice	Demographics	NULL	NULL
Number of missed appointments in Span	Demographics	NULL	NULL
Oth_Risk	Demographics	Returns yes or no	Other HIV risk
Other	Demographics	Returns yes or no	Other race
Other Insurance	Demographics	NULL	NULL
Other Public Insurance	Demographics	NULL	NULL
OthRisk Desc.	Demographics	custom text	Other HIV risk described
Overall Enrl Status	Demographics	Enrollment status across multiple providers. If active at any provider, then returns value of Active.	Enrollment status across providers
Pacific	Demographics	Returns yes or no	Pacific Islander race
Partners Notified-CADR	Demographics	NULL	Partners notified (RDR)
Peri	Demographics	Returns yes or no if client has perinatal HIV transmission as a risk factor	Perinatal HIV transmission risk
Phone	Demographics	NULL	NULL
Phys. Name	Demographics	NULL	Physician name
PK	Demographics	From database	Primary key
Posttest Counseled-CADR	Demographics	Returns yes, no , unk	HIV Posttest counseled (RDR)
PovertyLev	Demographics	Poverty level percent calculated from household size and income	Poverty level



PPD Result for Period	Demographics	NULL	NULL
Pre-ART reason	Demographics	Reason client not on ART medications	NULL
Pregnant In Period	Demographics	NULL	NULL
Prescribed HAART	Demographics	HAART is 3 or more antiretroviral active ingredients	NULL
Prescribed HAART CLD	Demographics	NULL	Prescribed HAART (RSR)
Pretest Counseled-CADR	Demographics	NULL	HIV pretest counseling (RDR)
Previous Qualitative Lab Date	Demographics	NULL	NULL
Previous Qualitative Lab Value	Demographics	Returns the last qualitative lab result just prior to the selected date range	NULL
Previous Quantitative Lab Date	Demographics	NULL	NULL
Previous Quantitative Lab Value	Demographics	NULL	NULL
Previous Regimen	Demographics	NULL	NULL
Previous Regimen Line	Demographics	Used in international version	NULL
Previous Regimen Start Date	Demographics	NULL	NULL
Previous Regimen Stop Date	Demographics	NULL	NULL
Prior ARV Treatment	Demographics	NULL	NULL
Private Insurance	Demographics	Returns yes or no	NULL
Prm. Medical Care	Demographics	NULL	Source primary medical care
Provider Name	Demographics	NULL	NULL
Prv. Memo	Demographics	From client demographic screen	Provider memo
Psychiatric History?	Demographics	NULL	NULL
Psychosocial Assessment?	Demographics	NULL	NULL
PTSD?	Demographics	NULL	NULL
Q1 Mental Health	Demographics	NULL	NULL
Q1 Mnt Hlth Trt	Demographics	NULL	NULL
Q1 Sbst Abuse Trt	Demographics	NULL	NULL

Q1 Subst Abuse	Demographics	NULL	NULL
Q2 Mental Health	Demographics	NULL	NULL
Q2 Mnt Hlth Trt	Demographics	NULL	NULL
Q2 Sbst Abuse Trt	Demographics	NULL	NULL
Q2 Subst Abuse	Demographics	NULL	NULL
Q3 Mental Health	Demographics	NULL	NULL
Q3 Mnt Hlth Trt	Demographics	NULL	NULL
Q3 Sbst Abuse Trt	Demographics	NULL	NULL
Q3 Subst Abuse	Demographics	NULL	NULL
Q4 Mental Health	Demographics	NULL	NULL
Q4 Mnt Hlth Trt	Demographics	NULL	NULL
Q4 Sbst Abuse Trt	Demographics	NULL	NULL
Q4 Subst Abuse	Demographics	NULL	NULL
Qualitative Result Last Date	Demographics	NULL	NULL
Quantitative BMI Change	Demographics	Returns change in body mass index BMI1 minus BMI2, where BMI1 is latest in period and BMI2 is last measurement just prior to period. BMI is the weight in kg/height squared in meters.	NULL
Quantitative Lab Amount Change	Demographics	Returns change in any quantitative lab test as Test2 -Test1 where Test2 is latest in period and test1 is last result just prior to period.	NULL
Quantitative Lab Log Change	Demographics	Returns change in two labs stored as logs, such as two viral loads.	NULL
Quantitative Lab Percent Change	Demographics	Returns the percent change in 2 lab tests, (Test2-Test1)/Test1 where test2 is the latest test result in the period and Test1 is the last result just prior to the date/day range.	NULL
Quantitative Lab Value below Threshold for Number of Days	Demographics	NULL	NULL
Quantitative Weight Change	Demographics	Returns change in body weight (Weight2 - Weight1)	NULL
Race	Demographics	NULL	NULL

Race For ADAP	Demographics	NULL	Race for RDR
Race/Ethnicity	Demographics	The client's race/ethnicity calculation. HIVQM Export Compatible	NULL
Rcvd Adherence Service	Demographics	Used for RDR	NULL
Rcvd APA Service	Demographics	Used for RDR	NULL
Rcvd Case Mgt (NM) Service	Demographics	Used for RDR	NULL
Rcvd Child Care Service	Demographics	Used for RDR	NULL
Rcvd Development Assess Service	Demographics	Used for RDR	NULL
Rcvd Fin. Ass. Service	Demographics	NULL	NULL
Rcvd Food Bank Service	Demographics	NULL	NULL
Rcvd Health Care Referral Service	Demographics	NULL	NULL
Rcvd Health/Risk Ed Service	Demographics	NULL	NULL
Rcvd HIP Service	Demographics	NULL	NULL
Rcvd Housing Service	Demographics	NULL	NULL
Rcvd Legal Service	Demographics	NULL	NULL
Rcvd Linguistic Service	Demographics	NULL	NULL
Rcvd Outreach Service	Demographics	NULL	NULL
Rcvd Perm Planning Service	Demographics	NULL	NULL
Rcvd Psycho Social Service	Demographics	NULL	NULL
Rcvd Rehabilitation Service	Demographics	NULL	NULL
Rcvd Res. Subst Abuse Service	Demographics	NULL	NULL
Rcvd Respite Care Service	Demographics	NULL	NULL
Rcvd Transportation Service	Demographics	NULL	NULL
Reason ART Discontinued	Demographics	NULL	NULL
Received Action	Demographics	Returns specific action such as treatment, non-treatment, etc. for specific Screening in clinical encounter.	Received screening action
Received Diagnosis	Demographics	Returns yes or no	NULL
Received HIVQUAL referral	Demographics	NULL	NULL
Received HIVQUAL subservice	Demographics	NULL	NULL

Received Lab or Screening	Demographics	Returns yes or no if client received specific lab or screening test in date range of interest.	NULL
Received Service - CLD	Demographics	NULL	Received service- RDR
Received STI Action	Demographics	NULL	NULL
Received STI Test	Demographics	Returns yes or no if client received specified STI test in date range of interest.	NULL
Received subservice	Demographics	Returns yes or no	NULL
Received Test	Demographics	Returns yes or no	NULL
Received Test CLD	Demographics	NULL	Received test- RDR
Received Test Since HIV Diagnosis	Demographics	NULL	NULL
Referrals By Category	Demographics	Returns number of referrals	NULL
Referred for Serv. Category	Demographics	Returns yes or no	NULL
ReportColumn	Demographics	NULL	Error running
Resulted HIVQUAL referral	Demographics	NULL	NULL
Review Date	Demographics	NULL	NULL
RW-funded visits in span	Demographics	Returns total number of RW funded visits in specified date span.	NULL
Sbs Count by Funding In Span	Demographics	Returns number of subservice counts by funding source in date/day span.	Subservice count by funding in date span
Sbs Interval Count	Demographics	Returns number of visits of specific type that are at least X days apart.	Subservice visit count X days apart
Screened For Hep B	Demographics	Returns yes or no	NULL
Screened For Hep C	Demographics	NULL	NULL
Screened For HepB Since HIV DX	Demographics	NULL	NULL
Screened For HepC Since HIV DX	Demographics	NULL	NULL
Screened For TB	Demographics	NULL	NULL

Screened For TB Since HIV DX	Demographics	NULL	NULL
Services Shared By Client	Demographics	Returns yes or no. For networks setups	NULL
Sleep. Hab. Assess?	Demographics	NULL	NULL
Srv Cat Interval Count	Demographics	Returns number services counts at least X days apart	Service category interval count
State	Demographics	NULL	NULL
Static Value	Demographics	NULL	Fixed user value
Subs. Use Alcohol?	Demographics	NULL	NULL
Subs. Use Cocaine Inj?	Demographics	NULL	NULL
Subs. Use Cocaine?	Demographics	NULL	NULL
Subs. Use Cur. In Treat.?	Demographics	NULL	NULL
Subs. Use Current?	Demographics	NULL	NULL
Subs. Use Heroin Inj.?	Demographics	NULL	NULL
Subs. Use Heroin?	Demographics	NULL	NULL
Subs. Use Hist. 2 Yrs?	Demographics	NULL	NULL
Subs. Use Identified?	Demographics	NULL	NULL
Subs. Use Marijuana?	Demographics	NULL	NULL
Subs. Use Other Subs?	Demographics	NULL	NULL
Subs. Use Pills?	Demographics	NULL	NULL
Subs. Use Ref. Made?	Demographics	NULL	NULL
Subs. Use Relap. Prev. Discd?	Demographics	NULL	NULL
Subs. Use Tr. 12 Step?	Demographics	NULL	NULL
Subs. Use Tr. Detox. Unit?	Demographics	NULL	NULL
Subs. Use Tr. Metha.?	Demographics	NULL	NULL
Subs. Use Tr. Other Treat.?	Demographics	NULL	NULL
Subs. Use Tr. Out Pat.?	Demographics	NULL	NULL
Subs. Use Tr. Resid.?	Demographics	NULL	NULL
Subservice Count	Demographics	Returns number of visits	NULL
Subservice Count by Funding	Demographics	Returns number of subservice counts by funding source.	NULL

Subservice Count In Span	Demographics	Returns number of subservice in date/day range	NULL
Subservice Quantity	Demographics	Returns number of subservice units	Subservice units
Subservice Total	Demographics	Calculated as services units multiplied by unit price.	Subservice total cost
TB Med Started	Demographics	Returns prophylaxis, treatments, etc	NULL
TB Med Status	Demographics	Returns stopped, ongoing, unknown	NULL
Tobacco Use Cur. Smoker?	Demographics	NULL	NULL
Transfusion	Demographics	Returns yes or no	Transfusion HIV risk
Transgender (All)	Demographics	Returns a Yes or No Value for whether the client is transgendered. HIVQM Export Compatible	Transgender (All)
Translated Value	Demographics	For translated versions.	NULL
Trimester Enter Care-CADR	Demographics	NULL	Trimester entered Care-RDR
Trnsfr In	Demographics	International version	Transferred in
Trnsfr In Agency	Demographics	International version	Transferred in Agency
Trnsfr In Date	Demographics	International version, date client transferred into your service from another agency/clinic.	Date transferred in
Trnsfr Out	Demographics	International version	Transferred out
Trnsfr Out Agency	Demographics	International version	NULL
Trnsfr Out Date	Demographics	International version	Date transferred out
TST Indicated	Demographics	Tuberculin skin test indicated yes or no	NULL
TST Indicated For Period	Demographics	Tuberculin Skin Test indicated in period	NULL
Units of CARE Act Funded Services by Category	Demographics	NULL	NULL
Units of Service by Category	Demographics	NULL	NULL

Unk	Demographics	NULL	Unknown race
Unk_Risk	Demographics	Returns yes or no.	Unknown HIV risk
Unknown Insurance	Demographics	Returns yes, no , unk	NULL
URN	Demographics	Unique Record Number	NULL
Value	Demographics	NULL	Client primary key
Vital Status	Demographics	Returns alive, deceased	NULL
Vtl. Status	Demographics	NULL	Vital status by end date
Vtl. Status By Date	Demographics	Determines vital status relative to a user-defined time point.	Vital status by key date
weight At ART	Demographics	NULL	NULL
Weight At ART (kg)	Demographics	NULL	NULL
Weight Percent Change	Demographics	Change in body calculated as (Weight2-Weight1)/Weight1	NULL
White	Demographics	returns yes or no	White race
WHO Stage At ART	Demographics	International version	NULL
Zip	Demographics	NULL	Zip code
Condition	Diagnosis	From the diagnosis tab in clinal encounters.	NULL
Condition	Diagnosis	Historical ICD9 Diagnosis values	ICD9 Diagnosis
Date Resolved	Diagnosis	Date current Status was assigned	Date Resolved
Diag. Assess.	Diagnosis	Returns: Definitive, presumptive, unknown	Diagnosis
Diag. Comment	Diagnosis	NULL	Comment
Diag. Comment	Diagnosis	NULL	Diagnosis comment
Diag. Date	Diagnosis	NULL	Diagnosis Date
Diagnosis	Diagnosis	Returns: Definitive, presumptive, unknown	Assessment
Diagnosis ICD10 Code	Diagnosis	NULL	ICD10 Code

Diagnosis ICD10 Description	Diagnosis	NULL	ICD10 Description
Diagnosis ICD9 Code	Diagnosis	Historical ICD9 Diagnosis Code	ICD9 Diagnosis Code
Diagnosis ICD9 Description	Diagnosis	deprecated, use 'ICD9 Diagnosis'	ICD9 Diagnosis Description
Diagnosis Problem	Diagnosis	Additional details about Diagnosis	Diagnosis Details
Diagnosis Provider	Diagnosis	Provider at which diagnosis entered	NULL
Diagnosis Status	Diagnosis	Returns: Active, Inactive, Resolved	Status
ICD9	Diagnosis	NULL	NULL
ADAP Brand Name	Drug Service	NULL	ADAP medication brand Name
ADAP Formulary Active Date	Drug Service	NULL	NULL
ADAP Formulary Dispensing Fee	Drug Service	NULL	NULL
ADAP Formulary Indication	Drug Service	NULL	NULL
ADAP Formulary Requires Protocol	Drug Service	NULL	NULL
ADAP Formulary Unit Price	Drug Service	NULL	NULL
ADAP Generic Drug	Drug Service	NULL	NULL
ADAP Med Client Count	Drug Service	NULL	ADAP Med Count Baby
ADAP NDC	Drug Service	NULL	ADAP NDC
ADAP NDC Manufacturer	Drug Service	NULL	NULL
ADAP NDC Package Size	Drug Service	NULL	NULL
ADAP NDC Strength	Drug Service	NULL	NULL
Drug Service Comment	Drug Service	NULL	NULL
Drug Service Date	Drug Service	From ADAP tab	NULL
Drug Service Dispenser Contact	Drug Service	NULL	NULL



Drug Service Dispenser Name	Drug Service	NULL	NULL
Drug Service Dispenser Notes	Drug Service	NULL	NULL
Drug Service Dispenser Phone	Drug Service	NULL	NULL
Drug Service Funding	Drug Service	NULL	NULL
Drug Service Last Updated	Drug Service	NULL	NULL
Drug Service Price	Drug Service	NULL	NULL
Drug Service Quantity	Drug Service	NULL	NULL
Drug Service Total	Drug Service	NULL	NULL
Immunity	Immunization	Returns:	NULL
Immunization Provider	Immunization	NULL	NULL
Recieved Immunization	Immunization	NULL	NULL
Updated	Immunization	NULL	Vaccine updated
Vaccine	Immunization	NULL	Vaccine name
VacDate	Immunization	NULL	Vaccine date
Lab =?	Lab	Returns: =, >=, <=	NULL
Lab Ascension Number	Lab	From lab import	NULL
Lab Assay	Lab	NULL	NULL
Lab Comment	Lab	NULL	NULL
Lab Data Source	Lab	NULL	NULL
Lab Date	Lab	NULL	NULL
Lab Result	Lab	NULL	NULL
Lab Status	Lab	NULL	NULL
Lab Test	Lab	NULL	NULL
Test Provider	Lab	NULL	NULL
Dose	Medication	NULL	NULL
Frequency	Medication	Frequency of medication dosage such as once a day, twice a day, etc.	NULL
Indication	Medication	NULL	NULL
IndicationRPK	Medication	NULL	NULL
Medication	Medication	NULL	NULL
Medication Provider	Medication	NULL	NULL
OI	Medication	Returns name of opportunistic infection	OI name

Start Date	Medication	Medication start date	NULL
Stop Date	Medication	Medication stop date	NULL
Stop Reason	Medication	Reason medication stopped	NULL
Strength	Medication	Medication strength typically in mg	NULL
ConceptDt	Pregnancy History	NULL	Conception date
Delivery Date	Pregnancy History	NULL	NULL
Newborn st.	Pregnancy History	NULL	Newborn HIV status
Pn ART Date	Pregnancy History	NULL	Prenatal ART start date
Pn Care Date	Pregnancy History	NULL	Prenatal care start date
Pn Counsel	Pregnancy History	Returns: Yes, no	Prenatal counseling
Pn Offer ART	Pregnancy History	NULL	Offered prenatal ART
Pn Take ART	Pregnancy History	NULL	Prenatal ART taken
Pn Visits	Pregnancy History	NULL	Number prenatal visits
Pregnancy History Provider	Pregnancy History	NULL	NULL
PrgOutcome	Pregnancy History	NULL	Pregnancy outcome
Received Date	Referrals	NULL	NULL
Referral Class	Referrals	NULL	NULL
Referral Comment	Referrals	NULL	NULL
Referral Date	Referrals	NULL	NULL
Referral Definition by Sponsor	Referrals	NULL	NULL
Referral Status	Referrals	Returns: Pending , completed, unknown	NULL
Referral Type	Referrals	Returns: Internal , external	NULL
Referred by Provider	Referrals	NULL	NULL
Referred To Provider	Referrals	NULL	NULL

Srv Category Referral	Referrals	NULL	Referral service category
Rlt 1st Service	Relations	NULL	Relation first service
Rlt Age	Relations	NULL	Relation age
Rlt AIDS Date	Relations	NULL	Relation AIDS diagnosis date
Rlt Date Closed	Relations	NULL	Relation date case closed
Rlt Date Of Death	Relations	NULL	Relation date of death
Rlt DOB	Relations	NULL	Relation date of birth
Rlt Enrl Date	Relations	NULL	Relation enroll date
Rlt Enrl Status	Relations	NULL	Relation enroll status
Rlt Enrl. Status By Date	Relations	NULL	Relation enroll status by date
Rlt eURN	Relations	NULL	Relation eURN
Rlt First Name	Relations	NULL	Relation first name
Rlt Gender	Relations	NULL	Relation gender
Rlt HIV Date	Relations	NULL	Relation HIV diag date
Rlt HIV Status	Relations	NULL	Relation HIV status
Rlt Last Name	Relations	NULL	Relation last name

Rlt Last Service	Relations	NULL	Relation last service date
Rlt Middle Name	Relations	NULL	Relation middle name
RLT Name	Relations	NULL	Relation full name
Rlt Relation	Relations	Returns: Brother, sister, next of kin, child, etc.	Relation type
Rlt URN	Relations	NULL	Relation URN
Rlt Vital Status	Relations	NULL	Relation vital status
Rlt Vtl. Status By Date	Relations	NULL	Relation vital status by date
Screening Action	Screening	NULL	NULL
Screening Ascension Number	Screening	NULL	NULL
Screening Comment	Screening	NULL	NULL
Screening Data Source	Screening	NULL	NULL
Screening Date	Screening	NULL	NULL
Screening Result	Screening	NULL	NULL
Screening Score	Screening	NULL	NULL
Screening Status	Screening	NULL	NULL
Screening Test	Screening	NULL	NULL
ScrLab Data Source	Screening Lab	NULL	NULL
ScrLab Ascension Number	Screening Lab	NULL	NULL
ScrLab Comment	Screening Lab	NULL	Screening lab comment
ScrLab Date	Screening Lab	NULL	Screening lab date
ScrLab Result	Screening Lab	NULL	Screening lab result
ScrLab Status	Screening Lab	Returns:	Screening lab status
ScrLab Test	Screening Lab	NULL	Screening lab test name

ScrLab Titer	Screening Lab	NULL	Screening lab titer
ScrLab Treatment	Screening Lab	NULL	Screening lab treatment
STI Action	Screening Lab	NULL	NULL
Contract Item	Service	NULL	NULL
HRSA RW-funded visits by Category	Service	RW funding determined from contracts	RW-funded visits by service category
HRSA visits by Category	Service	NULL	Service visits by category
Is Prim Health Svc	Service	Part C service determined from contracts	Primary health service
Service Primary Key	Service	NULL	NULL
Service Provider	Service	NULL	NULL
Srv Cat PK	Service	NULL	Service category primary key
Srv Category	Service	NULL	Service category
Srv Contract	Service	NULL	Service contract
Srv Date	Service	NULL	Service date
Srv Definition by Sponsor	Service	???	Service definition by sponsor
Srv Funding	Service	NULL	Service funding source
Srv Long Name	Service	NULL	Service name
Srv Price	Service	NULL	Service unit price
Srv Qty	Service	NULL	Service units

Srv RW Funded	Service	Yes or no	Service RW funded
Srv Short Name	Service	NULL	Subservice name
Srv Sponsor	Service	??	Service sponsor
Srv Total	Service	Units x Price	Service total
Srv Total Recd	Service	NULL	Service received
BMI	Vital Signs	weight (kg)/height <sup>2</sup> (m)	Body Mass Index
BP(sys/dia)	Vital Signs	Systolic / diastolic blood pressure	NULL
Diastolic	Vital Signs	Diastolic blood pressure	Diastolic BP
ER Visits	Vital Signs	NULL	NULL
Height(cm)	Vital Signs	NULL	NULL
Height(in)	Vital Signs	NULL	NULL
Hosp Days	Vital Signs	From Hospital/ER Admissions tab in clinical encounters	Hospital days
Hosp Visits	Vital Signs	From Hospital/ER tab in clinical encounter module.	Hospital visits
Hosp/ER Reason	Vital Signs	NULL	NULL
Pulse(bpm)	Vital Signs	NULL	NULL
Systolic	Vital Signs	NULL	NULL
Temp(°f)	Vital Signs	NULL	NULL
Temp°C	Vital Signs	NULL	NULL
Vital Signs Provider	Vital Signs	NULL	NULL
Vitals Date	Vital Signs	NULL	NULL
Weight(kg)	Vital Signs	NULL	NULL
Weight(lbs)	Vital Signs	NULL	NULL