

HL7 Medications Import

The purpose of this document is to show how CAREWare will import medications through the HL7 feed interface. Currently the design is for a results only interface. The document will focus on items that are required for medications import through HL7. These key items include the addition of new indexes to the CAREWare interface, a designated message type, CAREWare medication fields, the HL7 designated segment that holds the medication record, and CAREWare's processing of the incoming record.

Three new indexes will be added to the HL7 feed settings. These three will be labeled "MDC_Map_Provider", "MDC_Map_Client", and "MDC_Process_Records". The "MDC_Map_Provider" index will allow CAREWare to choose which CAREWare provider to look for the patient in which the data needs to go to. The "MDC_Map_Client" index will allow CAREWare to choose which CAREWare patient to link the data to. The "MDC_Process_Records" index will process all mappings to translate the incoming record to the patient record in CAREWare.

The message type designated as the medication import message is RAS (Pharmacy/Treatment administration). The message type will be located in the MSH segment at position 9.0. Any messages that are of this type, CAREWare will treat as a medication import message.

How CAREWare processes an HL7 message

Once the HL7 indexes are set to active, CAREWare will attempt to parse the incoming HL7 message into document stubs for processing. It is important to activate all three indexes for a particular import in order to get the data imported. CAREWare will look at the message type and trigger event to determine that the message is a valid import record by looking at the MSH 9 for the message type and MSH 9.1 for the trigger event. If the message type and trigger event matches a message type and trigger event pair from a predefined list of possible importable messages, CAREWare will parse the incoming file. The MSH specifications can be found on table 1.1. During parsing, CAREWare will set the primary provider and client values based on the settings the user as set. CAREWare will also split the messages into multiple document stubs if more than one PID segment exists in the message. The PID specifications can be found on table 1.2. CAREWare will split multiple RXE segments into individual document stubs as well. See Table 1.3 for RXE segment specifications. This is done so that it a single record for an individual client is processed independently. Once the document stubs are created, they will have a starting status of "Map Provider".

Map Provider Index

This index is used to match the provider ID (MSH 5) to a domain in CAREWare. CAREWare will create a mapping record if none exists. CAREWare will delete the messages if the mappings are incomplete or the activation code is not entered. If a mapping is complete and an activation code is entered for the domain, CAREWare will proceed to update the status to Map Client. The Lab Test Mapping Tool's Map Provider form will list out all provider mappings. The Lab Test Mapping Tool is can only be access in the Central Administration domain. It is located in the Administrative Options Menu on the upper right hand corner. The Map Provider records will indicate whether they are active or inactive. Active means that an activation code has already been registered by CAREWare. There are no field mappings for this index. The activation code will be generated by jProg and will be sent out when the site sends a request for one. The site must know the value in MSH 5 in order for jProg to create the activation code.

Map Client Index

This index will process client matching. It will use the matching criteria set in the provider mappings. If the patient matches the HL7 value and meets threshold then it will be updated to Process Records. If it doesn't match or does not meet threshold, the HL7 document stub will be deleted

Process Records Index

Once CAREWare extracts the data necessary for an import, it will then attempt to import this data as the patient record. For medications, the designated segment that holds the immunization record is the RXE segment. See Table 1.3 for specifications.

Before the incoming record can be imported as a patient record, CAREWare will have to do a look up and processes according the following logic:

- If the incoming medications are already the current active medications, it will just update the messages
- If the incoming medications are different to what the patient is currently using, it will stop the medications as of the medication start date; and start the new medications as of the start date

Table 1.1 MSH Specifications for HL7 socket interface

SEQ	LEN	OPT	ELEMENT NAME	CAREWare Field	Required For Import	Comments
1	1	R	Field Separator		Yes	Use to know what delimiter to use to separate components when parsing.
2	4	R	Encoding Characters		Yes	
3	180	O	Sending Application		Yes	Used in conjunction with MSH 6 to ensure that unique provider mapping record. CAREWare uses this value to determine where the data originated from.

4	180	O	Sending Facility		No	User can set to this value instead of MSH 3.
5	180	O	Receiving Application	Alternate Provider ID	Yes	User can set to this value instead of MSH 6. If user sets this as the default patient identifier, this value will override the value MSH 6. If this is set as the alternate value, it will override MSH 6 if MSH 6 is empty.
6	180	O	Receiving Facility	Primary Provider ID	No	Used in conjunction with MSH 3 to create a unique provider mapping record. CAREWare uses this value to link

						to a CAREWare provider. jProg will need this value to create an activation code.
7	26	O	Date/Time Of Message		No	
8	40	O	Security		No	
9	7	R	Message Type		Yes	CAREWare will use this field to determine the message type and trigger event. Message type will be in MSH 9.0 and trigger event will be in MSH 9.1
10	20	R	Message Control ID		No	
11	3	R	Processing ID		No	
12	8	R	Version ID		No	

13	15	O	Sequence Number		No	
14	180	O	Continuation Pointer		No	
15	2	O	Accept Acknowledgment Type		No	
16	2	O	Application Acknowledgment Type		No	
17	2	O	Country Code		No	
18	6	O	Character Set		No	
19	60	O	Principal Language Of Message		No	

Table 1.2 PID Specifications for HL7 Socket Interface

SEQ	LEN	OPT	ELEMENT NAME	CAREWare Field	Required For Import	Comments
1	4	O	Set ID - Patient ID		No	
2	20	O	Patient ID (External ID)	Primary Client ID	Yes	Default field where CAREWare looks for matching patient value.

3	20	R	Patient ID (Internal ID)	Primary/Alternate Client ID	No	Can be used as matching patient's identifier. If the user sets this as the default patient identifier, this value will override the value PID 2. If this is set as the alternate value, it will override PID 2 if PID 2 is empty.
4	20	O	Alternate Patient ID - PID	Primary/Alternate Client ID	No	Can be used as matching patient's identifier. If the user sets this as the default patient identifier, this value will override the value in PID 2. If this is set as the alternate value, it will override PID 2

							if PID 2 is empty.
5	48	R	Patient Name	Last Name, First Name, Name	Middle	No	If patient name is not set, CAREWare will match patients by matching patient value only. Users must set CAREWare's threshold (secondary check) to 0,
6	48	O	Mother's Maiden Name			No	Can be imported as a custom client field
7	26	O	Date/Time of Birth			No	If patient's date of birth is not set, make sure CAREWare's threshold (secondary check) is low enough to account for this.
8	1	O	Sex	Gender		No	Only mandatory if

							new patient is added.
9	48	O	Patient Alias			No	Can be imported as a custom client field
10	1	O	Race	Patient Race	No		Single patient race
11	106	O	Patient Address	Address, Address Continued, City, State, Zip	No		Address^Address Continued^City^State^Zip
12	4	B	County Code	County	No		
13	40	O	Phone Number - Home	Phone	No		
14	40	O	Phone Number - Business		No		Can be imported as a custom client field
15	60	O	Primary Language		No		Can be imported as a custom client field
16	1	O	Marital Status		No		Can be imported as a custom client field
17	3	O	Religion		No		Can be imported as a custom client field
18	20	O	Patient Account Number	acct	No		
19	16	O	SSN Number		No		Can be imported as a custom client field

			- Patient			
20	25	O	Driver's License Number - Patient		No	Can be imported as a custom client field
21	20	O	Mother's Identifier		No	Can be imported as a custom client field
22	3	O	Ethnic Group	Hispanic	No	
23	60	O	Birth Place		No	Can be imported as a custom client field
24	2	O	Multiple Birth Indicator		No	Can be imported as a custom client field
25	2	O	Birth Order		No	Can be imported as a custom client field
26	4	O	Citizenship		No	Can be imported as a custom client field
27	60	O	Veterans Military Status		No	Can be imported as a custom client field
28	80	O	Nationality		No	Can be imported as a custom client field
29	26	O	Patient Death Date and Time	deathDate	No	Sets the date of death
30	1	O	Patient Death Indicator	Vtl Status	No	Sets the enrollment status to decease

Table 1.3 RXE Specifications for HL7 Socket Interface

SEQ	LEN	OPT	CAREWare Field	Required for Import	ELEMENT NAME	Comments
1	200	R	Med Quantity, Med frequency, Med start and end dates	Yes	Quantity/Timing	CW uses these fields: <quantity (CQ)> ^ <interval (CM)> ^ <duration> ^ <start date/time (TS)> ^ <end date/time (TS)>
2	100	R	Med Definition Code	Yes	Give Code	
3	20	R			Give Amount - Minimum	
4	20	O			Give Amount - Maximum	
5	60	R	Med Units	Yes	Give Units	
6	60	O	Med Form	No	Give Dosage Form	
7	200	O	Med Instructions	No	Provider's Administration Instructions	
8	200	C			Deliver-to Location	

9	1	O			Substitution Status	
10	20	C			Dispense Amount	
11	60	C			Dispense Units	
12	3	O			Number of Refills	
13	60	C			Ordering Provider's DEA Number	
14	60	O			Pharmacist/Treatment Supplier's Verifier ID	
15	20	C			Prescription Number	
16	20	C			Number of Refills Remaining	
17	20	C			Number of Refills/Doses Dispensed	
18	26	C			D/T of Most Recent Refill or Dose Dispensed	
19	10	C			Total Daily Dose	
20	1	O			Needs Human Review	
21	200	O			Pharmacy/Treatment Supplier's Special Dispensing Instructions	
22	20	C			Give Per (Time Unit)	
23	6	O			Give Rate Amount	
24	60	O			Give Rate Units	

25	20	O	Med Strength	Yes	Give Strength	
26	60	O			Give Strength Units	
27	200	O	Med Indication, Medication Prophylaxis	Yes	Give Indication	CW uses the two fields for indication and prophylaxis: <identifier (ST)> ^ <text (ST)>
28	20	O			Dispense Package Size	
29	60	O			Dispense Package Size Unit	
30	2	O			Dispense Method	