

```

SELECT
    migs.avg_total_user_cost * (migs.avg_user_impact / 100.0) *
    (migs.user_seeks + migs.user_scans) AS improvement_measure,
    'CREATE INDEX [missing_index_' + CONVERT (varchar,
    mig.index_group_handle) + '_' + CONVERT (varchar, mid.index_handle)
    + ' ' + LEFT (PARSENAME(mid.statement, 1), 32) + ']'
    + ' ON ' + mid.statement
    + ' (' + ISNULL (mid.equality_columns,'')
    + CASE WHEN mid.equality_columns IS NOT NULL AND
    mid.inequality_columns IS NOT NULL THEN ',' ELSE '' END
    + ISNULL (mid.inequality_columns, '')
    + ')'
    + ISNULL (' INCLUDE (' + mid.included_columns + ')', '') AS
create_index_statement,
    migs.* , mid.database_id, mid.[object_id]
FROM sys.dm_db_missing_index_groups mig
INNER JOIN sys.dm_db_missing_index_group_stats migs ON migs.group_handle
= mig.index_group_handle
INNER JOIN sys.dm_db_missing_index_details mid ON mig.index_handle =
mid.index_handle
WHERE migs.avg_total_user_cost * (migs.avg_user_impact / 100.0) *
(migs.user_seeks + migs.user_scans) > 10
ORDER BY migs.avg_total_user_cost * migs.avg_user_impact *
(migs.user_seeks + migs.user_scans) DESC

```