

Short Name	Report Type	Description	Current Name
Comment	NULL	NULL	NULL
Test Provider	NULL	NULL	NULL
Age At Date	Case Notes	NULL	NULL
Case Note Date	Case Notes	NULL	NULL
Case Notes	Case Notes	NULL	NULL
Case Notes Author First Name	Case Notes	NULL	NULL
Case Notes Author Last Name	Case Notes	NULL	NULL
Comment	Counseling and Testing	NULL	C&T Comment
Test Dt	Counseling and Testing	NULL	HIV test date
Custom Subform Date (Cst. Subform)	Custom Subform	NULL	Custom subform date
Custom Subform Provider	Custom Subform	NULL	NULL
SubForm Tab	Custom Subform	NULL	Name given to custom subform tab
1st Overall Service	Demographics	NULL	Date of first service
1st Service	Demographics	NULL	First ever service date
1st vaccination date	Demographics	NULL	Date of first vaccination
A. Ind.	Demographics	Values: yes, no, unknown	American Indian or Alaska Native
Address	Demographics	Client's address	NULL
Age	Demographics	Client's age as of the end date of the report. If no dates are specified in the report, then it is as of today.. HIVQM Export Compatible	NULL
Age at Begin Date	Demographics	NULL	NULL
Age at Enrollment	Demographics	Client's age at enrollment	NULL
AgeGroup	Demographics	Values: <13, 13-24, 25-44, 45-64, 65+	NULL

Agency Funding	Demographics	Source of funding for international services (e.g. PEPFAR, UNAIDS, Other, etc.)	Funding source international version
Allergies	Demographics	Text field to note any allergies to medications, etc.	NULL
Anxiety Screen?	Demographics	NULL	NULL
Asian	Demographics	Returns: Yes or No	Is client race Asian?
Begin Date	Demographics	returns 1753!	NULL
Birth Year	Demographics	NULL	NULL
Black	Demographics	Retruns Yes or No	Black or Afr American
BMI Percent Change	Demographics	Calculates the percent change between 2 BMI measures, depending on the period selected in the subfilter.	Percent Change in body mass index
Case Note Author	Demographics	NULL	NULL
CD4 Count from first ART in Span	Demographics	For WHO quarterly report	NULL
Change of Screening Score For Period	Demographics	Calculates the difference between two customized scores: Latest score in period minus last score in period prior to date range.	Change in Screening Score for period
City	Demographics	Client's city of residence	NULL
Client ID	Demographics	ID field entered on demographic screen. Sometimes reserved for the chart number, or the client's social security number.	NULL
Client is Pregnant	Demographics	Returns: Yes or No if client is pregnant ever????	NULL
Client is Pregnant at Enrl	Demographics	Returns: Yes or No	Client pregnant at enrollment
Client's Bar Code	Demographics	NULL	NULL
Clinical Shared By Client	Demographics	Returns: Yes or No	Clinical data shared by client
Cog. Func. Assessed?	Demographics	NULL	NULL
County	Demographics	NULL	County of residence

Custom SubForm Records Count By Tab	Demographics	Returns number of subform entries	NULL
Date First Referral Made	Demographics	Returns date of first referral (internal or external) within specified date range. Internal referrals are those that are made within the network of providers connected in realtime over a wide area network to the CAREWare central database server.	NULL
Date First Referral Received	Demographics	NULL	NULL
Date Last Referral Made	Demographics	NULL	NULL
Date Last Referral Received	Demographics	NULL	NULL
Date of Death	Demographics	NULL	NULL
Date of First Srv Cat In Span	Demographics	NULL	Date of first service category in date span
Date of First Subservice	Demographics	Returns the date of the first specified subservice within the date span of interest.	NULL
Date of Last Subservice	Demographics	Returns the date of the last specified subservice in the date range of interest.	NULL
Date of latest Diagnosis	Demographics	Returns date of last diagnosis for a specified condition	NULL
Date of latest Diagnosis ICD9	Demographics	Selects specific diagnosis based on the ICD9 code.	Date of latest diagnosis by ICD9 code
Date of latest Diagnosis in a range	Demographics	Select from a range of ICD9 codes	NULL
Date of the next PAP smear after abnormal result	Demographics	NULL	NULL

Date prenatal care began	Demographics	NULL	NULL
Date Rdy., Elig., Sel.	Demographics	Typically used in International version, tracks dates client is determined eligible, ready, and selected to start ARV therapy.	Date determined ready for antiretrovirals
Days between appts	Demographics	Days entered in scheduler	Days between appointments
Days Enrolled	Demographics	Total days enrolled in service based on initial enrollment date; returns blank if no enrollment date entered	NULL
Depress Screen?	Demographics	NULL	NULL
DOB	Demographics	NULL	Date of birth
DOB estimated?	Demographics	From demographic screen.	Is date of birth estimated?
Domains Cln Shared By	Demographics	On a multi-provider network setup, this returns other provider domains client's clinical data shared by	Provider domains clinical data shared by
Domains Cln Shared With	Demographics	On a multi-provider network setup, this field returns other provider domains client's clinical data are shared with	Provider domains clinical data shared with
Domains Srv Shared By	Demographics	On a multi-provider network setup, returns the providers that share client service data. Providers can only see service data on clients that are seen in both providers.	Provider domains service data shared by
Domains Srv Shared With	Demographics	Applies to network setups only	Provider domains service data shared with
Domestic Violence?	Demographics	NULL	NULL
Encrypted UCI	Demographics	NULL	NULL
End Date	Demographics	NULL	End date of report
Enrl. Status	Demographics	Enrollment status prior to new response categories added for RSR	Enrollment status (old)

Enrl. Status By Date	Demographics	Used to determine client's enrollment status at a specific point in time	Enrollment status by date
eURN	Demographics	NULL	Encrypted URN
First Conception Date	Demographics	NULL	NULL
First Date for Srv Category	Demographics	NULL	First date specific service received
First Name	Demographics	NULL	NULL
Formatted Field	Demographics	NULL	NULL
Gender	Demographics	The client's gender. HIVQM Export Compatible	NULL
Had Vaccination	Demographics	Returns the value yes or no if client had specified vaccine in date range.	NULL
Has Any Service	Demographics	Returns yes or no if client had any service type in specified date range.	NULL
Has Care	Demographics	Returns Yes or No based depending on presence of any clinical encounter	Has clinical encounter
Has Form	Demographics	Returns Yes or No if client has any form in specified date range.	NULL
Has Immunization In Period	Demographics	NULL	NULL
Has Referral	Demographics	Returns yes or no	NULL
Has Referral Cat	Demographics	Returns yes or no if clients has specified referral service type in date span of interest.	Has referral of specific type
Has Referral Cat w/ Status	Demographics	To find clients with referrals of status pending or completed.	Has referral type with status
Hemo	Demographics	Returns yes or no	Hemophilic HIV risk factor
Hetero	Demographics	Returns yes or no	Heterosexual HIV risk factor
HH Income	Demographics	From Annual Review tab	Household Income
HH Size	Demographics	From Annual Review screen.	Household Size
Hisp.	Demographics	Returns yes, no or unknown	Hispanic ethnicity

Hispanic	Demographics	NULL	NULL
Hospital Admissions In Period	Demographics	NULL	NULL
Housing Arr	Demographics	From the Annual Review tab, returns the value stable, unstable, etc.	Housing status
Housing Arr - CLD	Demographics	From annual review screen.	Housing status (RSR)
Ins.Type	Demographics	From the Annual Review tab.	Primary health insurance type
Is Part D Client	Demographics	Returns yes or no	NULL
Last Name	Demographics	NULL	NULL
Last Preg Outcome In Span	Demographics	NULL	NULL
Last Screening Score In Period	Demographics	NULL	NULL
Last Service	Demographics	NULL	Date of last service
Last Service Field Val In Category	Demographics	NULL	NULL
Last Service Field Val In Contract	Demographics	NULL	NULL
Last Service Field Value	Demographics	NULL	NULL
Last Service In Category	Demographics	NULL	NULL
Last Service In Contract	Demographics	Returns name of service category	NULL
Last vaccination date	Demographics	NULL	NULL
Latest estimated conception date	Demographics	NULL	NULL
Lowest Screening Score In Period	Demographics	NULL	NULL
Mail	Demographics	Returns yes or no if client accepts mail	NULL
Marital Status	Demographics	International version	NULL

Medicaid Insurance	Demographics	Returns yes or no	NULL
Medicare Insurance	Demographics	Returns yes or no	NULL
Memo	Demographics	Contents of memo field on demographic screen	NULL
Middle Name	Demographics	NULL	NULL
Name	Demographics	NULL	NULL
No Insurance	Demographics	Returns yes or no	NULL
Num appts by Subservice	Demographics	NULL	NULL
Num Days Active	Demographics	NULL	Number of days active
Num Preg Outcomes	Demographics	NULL	Number of pregnancy outcomes
Num with Newborn Status	Demographics	NULL	Number newborns with HIV status
Number of appts	Demographics	NULL	NULL
Number of missed appointments by subservice	Demographics	NULL	NULL
Number of missed appointments in Span	Demographics	NULL	NULL
Other	Demographics	Returns yes or no	Other race
Other Insurance	Demographics	NULL	NULL
Other Public Insurance	Demographics	NULL	NULL
Overall Enrl Status	Demographics	Enrollment status across multiple providers. If active at any provider, then returns value of Active.	Enrollment status across providers
Pacific	Demographics	Returns yes or no	Pacific Islander race
Peri	Demographics	Returns yes or no if client has perinatal HIV transmission as a risk factor	Perinatal HIV transmission risk
Phone	Demographics	NULL	NULL

Phys. Name	Demographics	NULL	Physician name
PK	Demographics	From database	Primary key
PovertyLev	Demographics	Poverty level percent calculated from household size and income	Poverty level
Pregnant In Period	Demographics	NULL	NULL
Prm. Medical Care	Demographics	NULL	Source primary medical care
Provider Name	Demographics	NULL	NULL
Prv. Memo	Demographics	From client demographic screen	Provider memo
Race	Demographics	NULL	NULL
Race/Ethnicity	Demographics	The client's race/ethnicity calculation. HIVQM Export Compatible	NULL
Rcvd Adherence Service	Demographics	Used for RDR	NULL
Rcvd Case Mgt (NM) Service	Demographics	Used for RDR	NULL
Rcvd Child Care Service	Demographics	Used for RDR	NULL
Rcvd Development Assess Service	Demographics	Used for RDR	NULL
Rcvd Fin. Ass. Service	Demographics	NULL	NULL
Rcvd Food Bank Service	Demographics	NULL	NULL
Rcvd Health Care Referral Service	Demographics	NULL	NULL
Rcvd Health/Risk Ed Service	Demographics	NULL	NULL
Rcvd Housing Service	Demographics	NULL	NULL
Rcvd Legal Service	Demographics	NULL	NULL

Rcvd Linguistic Service	Demographics	NULL	NULL
Rcvd Outreach Service	Demographics	NULL	NULL
Rcvd Perm Planning Service	Demographics	NULL	NULL
Rcvd Psycho Social Service	Demographics	NULL	NULL
Rcvd Rehabilitation Service	Demographics	NULL	NULL
Rcvd Res. Subst Abuse Service	Demographics	NULL	NULL
Rcvd Respite Care Service	Demographics	NULL	NULL
Rcvd Transportation Service	Demographics	NULL	NULL
Received Diagnosis	Demographics	Returns yes or no	NULL
Received Lab or Screening	Demographics	Returns yes or no if client received specific lab or screening test in date range of interest.	NULL
Received subservice	Demographics	Returns yes or no	NULL
Received Test	Demographics	Returns yes or no	NULL
Referrals By Category	Demographics	Returns number of referrals	NULL
Referred for Serv. Category	Demographics	Returns yes or no	NULL
ReportColumn	Demographics	NULL	Error running
Sbs Count by Funding In Span	Demographics	Returns number of subservice counts by funding source in date/day span.	Subservice count by funding in date span

Sbs Interval Count	Demographics	Returns number of visits of specific type that are at least X days apart.	Subservice visit count X days apart
Services Shared By Client	Demographics	Returns yes or no. For networks setups	NULL
Srv Cat Interval Count	Demographics	Returns number services counts at least X days apart	Service category interval count
Subs. Use Alcohol?	Demographics	NULL	NULL
Subs. Use Cocaine Inj?	Demographics	NULL	NULL
Subs. Use Cocaine?	Demographics	NULL	NULL
Subs. Use Cur. In Treat.?	Demographics	NULL	NULL
Subs. Use Current?	Demographics	NULL	NULL
Subs. Use Heroin Inj.?	Demographics	NULL	NULL
Subs. Use Heroin?	Demographics	NULL	NULL
Subs. Use Hist. 2 Yrs?	Demographics	NULL	NULL
Subs. Use Identified?	Demographics	NULL	NULL
Subs. Use Marijuana?	Demographics	NULL	NULL
Subs. Use Other Subs?	Demographics	NULL	NULL
Subs. Use Pills?	Demographics	NULL	NULL
Subs. Use Ref. Made?	Demographics	NULL	NULL
Subs. Use Relap. Prev. Discd?	Demographics	NULL	NULL
Subs. Use Tr. 12 Step?	Demographics	NULL	NULL

Subs. Use Tr. Detox. Unit?	Demographics	NULL	NULL
Subs. Use Tr. Metha.?	Demographics	NULL	NULL
Subs. Use Tr. Other Treat.?	Demographics	NULL	NULL
Subs. Use Tr. Out Pat.?	Demographics	NULL	NULL
Subs. Use Tr. Resid.?	Demographics	NULL	NULL
Subservice Count	Demographics	Returns number of visits	NULL
Subservice Count by Funding	Demographics	Returns number of subservice counts by funding source.	NULL
Subservice Count In Span	Demographics	Returns number of subservice in date/day range	NULL
Subservice Quantity	Demographics	Returns number of subservice units	Subservice units
Subservice Total	Demographics	Calculated as services units multiplied by unit price.	Subservice total cost
Tobacco Use Cur. Smoker?	Demographics	NULL	NULL
Transgender (All)	Demographics	Returns a Yes or No Value for whether the client is transgendered. HIVQM Export Compatible	Transgender (All)
Translated Value	Demographics	For translated versions.	NULL
Trimester Enter Care-CADR	Demographics	NULL	Trimester entered Care-RDR
Unknown Insurance	Demographics	Returns yes, no , unk	NULL
URN	Demographics	Unique Record Number	NULL
URN	Demographics	Uniquire Record Number	NULL
Value	Demographics	NULL	Client primary key
Vital Status	Demographics	Returns alive, deceased	NULL

Vtl. Status	Demographics	NULL	Vital status by end date
Vtl. Status By Date	Demographics	Determines vital status relative to a user-defined time point.	Vital status by key date
weight At ART	Demographics	NULL	NULL
Weight At ART (kg)	Demographics	NULL	NULL
Weight Percent Change	Demographics	Change in body calculated as (Weight2-Weight1)/Weight1	NULL
White	Demographics	returns yes or no	White race
Zip	Demographics	NULL	Zip code
Condition	Diagnosis	Historical ICD9 Diagnosis values	ICD9 Diagnosis
Date Resolved	Diagnosis	Date current Status was assigned	Date Resolved
Diag. Comment	Diagnosis	NULL	Comment
Diag. Date	Diagnosis	NULL	Diagnosis Date
Diagnosis	Diagnosis	Returns: Definitive, presumptive, unknown	Assessment
Diagnosis ICD10 Code	Diagnosis	NULL	ICD10 Code
Diagnosis ICD10 Description	Diagnosis	NULL	ICD10 Description
Diagnosis ICD9 Code	Diagnosis	Historical ICD9 Diagnosis Code	ICD9 Diagnosis Code
Diagnosis ICD9 Description	Diagnosis	deprecated, use 'ICD9 Diagnosis'	ICD9 Diagnosis Description
Diagnosis Problem	Diagnosis	Additional details about Diagnosis	Diagnosis Details
Diagnosis Provider	Diagnosis	Provider at which diagnosis entered	NULL
Diagnosis Status	Diagnosis	Returns: Active, Inactive, Resolved	Status
ICD9	Diagnosis	NULL	NULL
Drug Service Comment	Drug Service	NULL	NULL
Drug Service Price	Drug Service	NULL	NULL

Immunity	Immunization	Returns:	NULL
Immunization Provider	Immunization	NULL	NULL
Recieved Immunization	Immunization	NULL	NULL
Updated	Immunization	NULL	Vaccine updated
Vaccine	Immunization	NULL	Vaccine name
VacDate	Immunization	NULL	Vaccine date
Test Provider	Lab	NULL	NULL
Dose	Medication	NULL	NULL
Frequency	Medication	Frequency of medication dosage such as once a day, twice a day, etc.	NULL
ConceptDt	Pregnancy History	NULL	Conception date
Delivery Date	Pregnancy History	NULL	NULL
Newborn st.	Pregnancy History	NULL	Newborn HIV status
Pregnancy History Provider	Pregnancy History	NULL	NULL
PrgOutcome	Pregnancy History	NULL	Pregnancy outcome
Referral Class	Referrals	NULL	NULL
Referral Comment	Referrals	NULL	NULL
Referral Date	Referrals	NULL	NULL
Referral Definition by Sponsor	Referrals	NULL	NULL
Referral Status	Referrals	Returns: Pending , completed, unknown	NULL
Referral Type	Referrals	Returns: Internal , external	NULL
Referred by Provider	Referrals	NULL	NULL
Referred To Provider	Referrals	NULL	NULL
Srv Category Referral	Referrals	NULL	Referral service category
Rlt 1st Service	Relations	NULL	Relation first service
Rlt Age	Relations	NULL	Relation age

Rlt Date Closed	Relations	NULL	Relation date case closed
Rlt Date Of Death	Relations	NULL	Relation date of death
Rlt DOB	Relations	NULL	Relation date of birth
Rlt Enrl Date	Relations	NULL	Relation enroll date
Rlt Enrl Status	Relations	NULL	Relation enroll status
Rlt Enrl. Status By Date	Relations	NULL	Relation enroll status by date
Rlt eURN	Relations	NULL	Relation eURN
Rlt First Name	Relations	NULL	Relation first name
Rlt Gender	Relations	NULL	Relation gender
Rlt Last Name	Relations	NULL	Relation last name
Rlt Last Service	Relations	NULL	Relation last service date
Rlt Middle Name	Relations	NULL	Relation middle name
RLT Name	Relations	NULL	Relation full name
Rlt Relation	Relations	Returns: Brother, sister, next of kin, child, etc.	Relation type
Rlt URN	Relations	NULL	Relation URN
Rlt Vital Status	Relations	NULL	Relation vital status
Rlt Vtl. Status By Date	Relations	NULL	Relation vital status by date
Screening Action	Screening	NULL	NULL
Screening Comment	Screening	NULL	NULL
Screening Data Source	Screening	NULL	NULL
Screening Date	Screening	NULL	NULL
Screening Result	Screening	NULL	NULL
Screening Score	Screening	NULL	NULL
Screening Status	Screening	NULL	NULL
Screening Test	Screening	NULL	NULL
Contract Item	Service	NULL	NULL
Is Prim Health Svc	Service	Part C service determined from contracts	Primary health service

Service Primary Key	Service	NULL	NULL
Service Provider	Service	NULL	NULL
Srv Cat PK	Service	NULL	Service category primary key
Srv Category	Service	NULL	Service category
Srv Contract	Service	NULL	Service contract
Srv Date	Service	NULL	Service date
Srv Definition by Sponsor	Service	???	Service definition by sponsor
Srv Funding	Service	NULL	Service funding source
Srv Long Name	Service	NULL	Service name
Srv Price	Service	NULL	Service unit price
Srv Qty	Service	NULL	Service units
Srv Short Name	Service	NULL	Subservice name
Srv Sponsor	Service	??	Service sponsor
Srv Total	Service	Units x Price	Service total
Srv Total Recd	Service	NULL	Service received
BMI	Vital Signs	weight (kg)/height2 (m)	Body Mass Index
BP(sys/dia)	Vital Signs	Systolic / diastolic blood pressure	NULL
Diastolic	Vital Signs	Diastolic blood pressure	Diastolic BP
Height(cm)	Vital Signs	NULL	NULL
Height(in)	Vital Signs	NULL	NULL
Hosp Days	Vital Signs	From Hospital/ER Admissions tab in clinical encounters	Hospital days
Hosp Visits	Vital Signs	From Hospital/ER tab in clinical encounter module.	Hospital visits
Hosp/ER Reason	Vital Signs	NULL	NULL
Pulse(bpm)	Vital Signs	NULL	NULL
Systolic	Vital Signs	NULL	NULL
Temp(Å°f)	Vital Signs	NULL	NULL
TempÅ°C	Vital Signs	NULL	NULL
Vital Signs Provider	Vital Signs	NULL	NULL

Vitals Date	Vital Signs	NULL	NULL
Weight(kg)	Vital Signs	NULL	NULL
Weight(lbs)	Vital Signs	NULL	NULL