

D-NP-PC-2520

Date: June 29, 2023
To: Internal, Sales, Distribution, and Sales Representatives
From: Jim Lowell, IOT Solutions Manager
Subject: New Daikin *One* Lite Connected Thermostat

We are pleased to announce the new Daikin *One* lite connected thermostat, model DTST-LTE-LA-A. The Daikin *One* lite connected thermostat is a perfect solution for Daikin ductless products when a wall-mounted connected thermostat is desired. The Daikin *One* lite connected thermostat is compatible with most single and multi-zone ductless systems* and can be linked via Wi-Fi to the Daikin *One* home app for control from an iOS or Android phone or tablet. In addition, the Daikin *One* lite thermostat can be voice controlled with Amazon Alexa or Google Assistant. For efficiency and comfort, the homeowner can program up to four scheduled events per day for seven days. Contractors will appreciate the aux heat output, which can be configured as either the primary or secondary heat source, and compatibility with Daikin *One* cloud services for remote monitoring of system performance. One year of Daikin *One* cloud services is included with each Daikin *One* lite connected thermostat purchase. Commissioning and set up is simplified with an installation tool on a phone or tablet. The installation tool can be found in the Daikin *One* cloud services app, under "Tools".



**Daikin *One* Lite Connected Thermostat
DTST-LTE-LA-A**

Compatibility

The Daikin *One* lite connected thermostat is compatible with single-zone and multi-zone indoor unit models: FTK*, FTXB*, FTX*, FTXM, FTXR, FTXS, FVXS, CTXS*, CDXS (discontinued), FDXS (discontinued).

*Not compatible with FTK_AXVJU, FTX_AXVJU, FTKB_AXVJU, FTXB_AXVJU, and CTX_AXVJU

The following indoor units do not have the S21 connection and require an additional interface adaptor that must be ordered separately to provide the S21 connection for the Daikin *One* lite connected thermostat communication:

INDOOR UNIT MODELS	REQUIRED INTERFACE ADAPTOR
FTX09NMVJU(A), FTX12NMVJU(A), FTX09WMVJU9, FTX12WMVJU9	KRP067A41E
FTX15NMVJU(A), FTX15WMVJU9	KRP980B2E

NOTE: The Daikin *One* lite connected thermostat is compatible only with S21 systems.

An additional, future model is planned for compatibility with P1P2, SkyAir and VRV systems.

(Continued on next page)

Note: This Sales Bulletin constitutes "Confidential Information" as defined in, and is subject to the terms of, your Distributor Sales Agreement.

Features

- Compact, non-intrusive design suitable for most interior environments
- Multifunction push buttons labeled for mode, fan, setpoint up and set point down
- Wi-Fi-enabled connected thermostat with iOS and Android app control
- Voice control by Amazon Alexa and Google Assistant
- Installer tool available within Daikin *One* cloud services app is recommended for commissioning and setting up the Daikin *One* lite connected thermostat
 - Setup using thermostat's push buttons is possible, but not recommended
- Multi-language support: English, Spanish, French with Daikin *One* home app only
- Built-in temperature and humidity sensors
- One "Auxiliary Heat" output dry contact, configurable as primary or secondary heat source
- Over-the-air software update capable (requires wi-fi connection)
- Indoor unit control functions:
 - Mode = Auto/Heat/Cool/Aux Heat
 - Setpoint = Dual/Single
 - Fan Speed
 - Louver
 - Fan = On/Auto (with minimum run time)
- LED mode indicator for heating and cooling
- Dehumidification function
- Error and maintenance notification
- Seven-day programmable schedule with up to 4 events pe day
- Energy and comfort functions:
 - Away mode
 - Geo-fencing
- Outdoor environment monitoring:
 - Temperature
 - Humidity
 - Weather forecast
- Compatible with Daikin *One* cloud services with first year included
- Includes Translation adaptor for S21 systems
 - Note: This control is not for use with P1P2 systems
 - Note: This translation adaptor is different from the translation adaptor supplied with the Daikin *One*+ smart thermostat and is slightly larger. In most cases this translation adaptor must be mounted beside or on top of the indoor unit head, rather than in the piping chase. See installation instructions for more details
- An optional trim plate, part number PSPAC-WPM-L, is available.

(Continued on next page)

Note: This Sales Bulletin constitutes "Confidential Information" as defined in, and is subject to the terms of, your Distributor Sales Agreement.

Warranty

The Daikin *One* lite connected thermostat comes with a 12-Year Limited Warranty. Complete warranty details are available from your local dealer or at www.daikincomfort.com. To receive the 12-Year Limited Warranty, online registration must be completed within 60 days of installation. Online registration is not required in California or Quebec. The duration of warranty coverages in Texas and Florida differs in some cases.

KEY RELEASE DATES AND INFORMATION

ITEM	AVAILABILITY DATE	DOCUMENT CODE
Sales Availability	June 29, 2023	N/A
Installer application	Available	Under “Tools” in Daikin One Cloud services app
Engineering Data/Submittal	Available	SDS-DTST-LTE-LA-A
Installation Manual	Available	Daikinone.com
Homeowner Guide	Available	HG-ONELITE
Product Flyer	Available	PF-ONELITE
Spec Sheet	Available	SS-ONELITE
Consumer Brochure	Fall '23	See ductless brochures
Line Card	Fall '23	N/A
General Catalog Update	Fall '23	N/A
Sales Promotion Video	Available	Daikinone.com & YouTube
Daikin City Updates	Available	N/A
Daikinone.com updates	Available	N/A
Daikincomfort.com Updates	Available	N/A
Daikinac.com Updates	Available	N/A
Training Materials	Available	N/A

Google, Google Assistant, and all related logos are trademarks of Google, or its affiliates.

Amazon, Alexa, and all related logos are trademarks of Amazon.com, Inc. or its affiliates.

Note: This Sales Bulletin constitutes “Confidential Information” as defined in, and is subject to the terms of, your Distributor Sales Agreement.